



JANUARY
1 9 2 6

WHITTIER LUMBER & MILLWORK CO.

DISTRIBUTOR

411 Adams Street


NEWARK, NEW JERSEY




CALIFORNIA

SAVE SPACE
ADD CONVENIENCE
SPEND NO MORE

THE MECHANICAL ACTION IS ASTONISHING




Showing No. 122 closed.




Showing No. 122 ready to use

*Showing No. 122 as
shipped.
Ready to set in
the wall*



To
install
this unit
merely slip
into rough opening,
fasten to wall with three
or four screws and the job
is completed.

This is Fixture No. 122 Table and Two Seats



FLOOR PLAN

Rough opening dimension: Width 58 in. Height 33½ in. 4-in. stud wall.

Masterbilt Features

- Cut shows installation under ordinary windows.
- Folds into 4-in. studded wall.
- Installation requires no mechanical skill.
- Space between table and seats gives natural position.
- Note the abundance of leg room.
- Four persons can dine comfortably.
- Table top and seats laminated, showing ribbon-grain Philippine mahogany.
- The sturdy construction will support a distributed weight of one thousand pounds.
- Can be used in old as well as new houses.
- All hardware included.

[SEE PAGE 22 FOR SPECIFICATIONS]

Page Two

THEY ARE FOOL-PROOF AGAINST COLLAPSE

MASTERBILT COZY NOOK—Comfortable, Cozy, Convenient


The Cozy Nook

A WONDERFUL combination. No space consumed, yet always ready for use. When polished the Philippine Mahogany top in contrast with enameled woodwork makes a pleasing effect. The No. 3-D Seat Doors, made to swing open on hinges, give the use of cupboard space behind them.


The special cantilever table brace automatically locks when table is extended. No accidental collapse possible.

When not in use all fixtures fold out of sight, giving neat panel effect.


See No. 5-A-D Ironing Board (page fifteen) installed behind a No. 3-D Seat, always ready with pad, a Masterbilt feature.



The Cozy Nook, showing No. 1 Table and No. 3-D Seats. Seats simply fold up and swing as doors, allowing use of cupboard space behind.



"Masterbilt Cozy Nook, Floor Plan."
(See page twelve for dimensions and further information.)



This is No. 1 Table
as shipped.



This is No. 3-D Seat

A SEAT AND DOOR
COMBINED IN ONE

(NO DOOR HARDWARE
INCLUDED)

MASTERBILT CORNER NOOK:—Another Interesting Combination



The Corner Nook

Uses the following MASTERBILT units:

Fixture No. 21:

Table and seat made in one unit.

Fixture No. 3:

Two seats in separate units.

See cuts on this page.

Fixture No. 12 can be substituted for Fixture No. 21 if nook is desired in other corner.

All hardware included.

Space required when in use:

From corner of room to outer edge of casing on Fixture No. 21 is 5 ft. 2 in.

From corner of room to outer edge of casing on second No. 3 seat is 3 ft. 8½ in.

The Corner Nook

THIS combination shows the use of fixtures No. 12 or 21 for either right or left hand corner, together with the No. 3 Seats.



The cut gives a better view of the metal cantilever brace. There is no difficulty in getting in or out from a Masterbilt nook.

This combination uses no floor space when not in use. Convenient, sturdy and economical.

No. 3 Seat

Mullion No. 21
Seat on left of table

Mullion No. 12
Seat on right of table



Rough opening each unit

No. 21—Width 44 in., height 33½ in., 4-in. stud wall.

No. 12—Width 44 in., height 33½ in., 4-in. stud wall.

No. 3 Seat—Width 16 in., height 33½ in., 3 or 4 in. stud wall.

[SEE PAGE 22 FOR SPECIFICATIONS]



Page Four

Masterbilt fixtures can be used in old as well as new buildings


NO MECHANICAL SKILL REQUIRED TO INSTALL

Floor Plan of Complete Kitchen

showing installation of Corner Nook under a triple - window condition. This plan also shows one of the Masterbilt Spice Cabinet and Ironing Board Combinations No. 6, shown on page 17.



*Floor Plan
of Corner Nook
using
Mullion No. 12*



MASTERBILT SINK COMBINATION—WE SAVE THE FLOOR SPACE






Table and Seats folded in doors, which swing open, showing cupboard space behind them. Shows 05 Folding Ironing Board.

(NO DOOR HARDWARE INCLUDED)

The Ironing Board used in this combination is the Masterbilt Folding Board No. 05. Picture shows this board as it comes from the factory. To install, set two blocks inside your case just 12 inches apart from each other and bore holes 1 inch net in diameter in each to receive round ends of pivot on board. Holes to be 2 ft. 6½ in. up from bottom of case to center of hole.

No. 05 Ironing Board



Doors closed—Table and Seats ready for use

HERE is a very good illustration of the space saving of Masterbilt Fixtures. In a little over sixteen square feet of actual floor space, there is a complete breakfast nook, ironing board, cooler, kitchen sink, storage space, combination drain and work board. The illustration in the upper left-hand corner of this page shows the seats and table folded and swung as C. C. doors. At the right is the same arrangement with doors closed and seats and table extended.

To use ironing board, swing folded seat-door back and raise ironing board. Gives you full length board and pad remains on board at all times; an exclusive Masterbilt feature.

SEATS AND TABLE USED IN THIS COMBINATION SHOWN ON NEXT PAGE


[SEE PAGE 22 FOR SPECIFICATIONS]

Page Six

A CHILD CAN EASILY HANDLE THEM

ON THE NEXT PAGE WE HAVE A SURPRISE FOR YOU

Floor Plan Masterbilt Sink Combination



No. 2-D
Seat—
as shipped.
(To hang
as a door.)

No. 1-D
Table—
as shipped.
(To hang
as a door.)

Over-all dimensions of case front, 5 ft. 6 in.; depth of case optional. Pilaster or hanging stiles between seats and table should be no wider than 1 1/2 inches in order to preserve proper distance for comfortable use when tables and seats are extended.

(Use regular 3x3 door butts to hang table and seats)


Fitted size of units used:

No. 1-D Table, 2 ft. 6 1/2 in. by 2 ft. 8 1/4 in., with 1 1/16-in. hanging stiles.

No. 2-D Seats, 1 ft. 3 in. by 2 ft. 8 1/4 in., with 1 1/16-in. hanging stiles.

Thickness of seat and table boxes, 5 inches

A KITCHEN BABY GRAND



Masterbilt Kitchen Buffet Cabinet No. 300. When units are closed it presents a neat panel effect. All hardware is polished nickel.

Masterbilt Breakfast Nook

(SECTION OF NO. 300)

NOTE the sturdy appearance of the seats and table; and they are as sturdy as they look.

The seats and table top are of beautiful ribbon grain 5-ply Philippine mahogany.

Four persons can be comfortably seated.

Masterbilt Buffet Cabinet No. 300

HERE is the very latest achievement in built-in kitchen fixtures. As you study the various pictures of this combination, you will be more and more amazed at the number of conveniences that have been incorporated into a space as small as 5 ft. 7 in. by 15 in. in depth.

In this space there are the following items:

Complete Breakfast Nook for four persons.

Spice Cabinet.

Broom Closet.

Full-length Cooler.

Folding Ironing Board.

Storage Shelf for Iron and Cord.

And in addition to having all these, there is still left the regulation china closet and utensil cupboard, a counter shelf with attractive mirror effect.



Kitchen Buffet Cabinet No. 300 as a breakfast nook with seats and table extended. Note the heavy, substantial way in which these are built. They should last as long as the house itself.

[SEE PAGE 22 FOR SPECIFICATIONS]

Page Eight

WE SHOULD CROW ABOUT IT

A KITCHEN BABY GRAND

Masterbilt Buffet Cabinet No. 300

Ironing Board

(SECTION OF NO. 300)

THE No. 05 disappearing ironing board used in this combination is the same as that shown in the sink cabinet on page six. In picture below the board is shown extended and in use. It is strong and sturdy. It cannot wobble or collapse when in use. One of the finest boards possible to secure.



Kitchen Buffet Cabinet No. 300, breakfast nook unit closed, showing broom closet, utensil cupboard and folding ironing board in use. Read text for complete description of this fixture.

Electric Iron Storage Shelf

Note asbestos and metal covered shelf for electric iron in picture.

The various units that make up this complete combination are shown on next page, as they are shipped from factory.



Broom Closet

(SECTION OF NO. 300)

THE spice cabinet, iron storage shelf and No. 2 seat of unit B swings as a C. C. door. Behind this door unit is a broom closet. As shown in the illustration, this broom closet has plenty of room for brooms, vacuum cleaner, brushes, soap and other cleaning accessories.

The buffet has a beautiful plate glass mirror and large counter shelf; always a handy place to set things; adds to the attractiveness of a kitchen.

Mirror is not shipped with fixture. Your dealer will supply this on request, at small extra charge.

Back of the breakfast table is the utensil cupboard. Here three wide shelves provide space for pots, pans and other kitchen utensils.

Floor plan of the Model Kitchen using the No. 300 Buffet Combination is shown on page 11.

A KITCHEN BABY GRAND

Masterbilt Buffet Cabinet No. 300


Showing the six different units as they are shipped from the factory




*Unit
No. 2-S-D*



Unit B




Unit A



Unit C



No. 1-D Table Door



No. 2-D Seat Door

Unit C

Unit C is the cooler section with slat shelves in the upper part. In lower part we have a No.05 Folding Ironing Board behind the No. 2-D Seat, which is hinged to the front of the case, forming the right-hand seat of the breakfast nook combination.

Any or all of these units can be purchased separately.

Unit B and Unit C can be interchanged.

(DOOR HARDWARE IS NOT FURNISHED)

Dimensions:

Complete Combination	5 ft. 7 in. wide by 15 in. deep
B Unit	1 ft. 5 in. wide by 15 in. deep
A Unit	2 ft. 9 in. wide by 15 in. deep
C Unit	1 ft. 5 in. wide by 15 in. deep
All heights 6 ft. 10 in.	

Unit B

Unit B is the broom closet section and contains the unit

No. 2-S-D, which is hinged to the front of Unit B. No. 2-S-D has a No.2 Seat installed in the lower part and a spice cabinet in the upper part, the bottom shelf of which is metal and asbestos covered to store the electric iron.

Unit A

Unit A is the center section, the upper part of which has china closet and counter shelf. The lower portion forms the utensil cupboard with three wide shelves. To the front of this cupboard is hinged the No. 1-D, the breakfast table always ready, yet out of sight when not used.


{ SEE PAGE 22 FOR SPECIFICATIONS }

Page Ten

EIGHT FEATURES COMBINED IN ONE FIXTURE -- EIGHT IN ONE


A KITCHEN BABY GRAND

Floor Plan of Masterbilt Buffet Cabinet No. 300



THIS combination can either be recessed in the wall as shown, or can be set out from the wall, thus being adaptable for use in new buildings or can be used in houses already built.

UTILIZE WASTE SPACE



Masterbilt Cozy Nook

THE plan on this page shows a complete kitchen arrangement with a Cozy Nook installation, pictures of which are shown on pages three and fifteen. Note on page fifteen that the seat door swings open and the No. 5-A-D Folding Ironing Board swings forward and opens up for use. This plan provides for the installation of the nook under an ordinary window—the ideal place for it; also plenty of light and ventilation for the labors of ironing.

[SEE PAGE 22 FOR SPECIFICATIONS]

Page Twelve


BY USING MASTERBILT WALL FIXTURES

PRACTICAL AND CONVENIENT

The Most Practical Ironing Board

ONE of the features of the No. 5 Ironing Board most pleasing to housewives is the fact that it will accommodate a thick, generous pad, and that it quickly and easily folds up with pad on. Those who have had experience with other boards will greatly appreciate this advantage. The same careful designing which has provided this convenience has perfected the board in other ways, so that it is entirely practical. The ironing surface is perfectly smooth. When closed it is compact, requiring very small space. When extended it offers a big, broad ironing surface which is the delight of every housewife. To extend the board when it is folded, merely pull up on metal ring.

To sum up, the board is very compact, *non-collapsible*, folds with cover on, strong, sturdy, perfectly rigid when in use, easily installed, adapted to practically any condition, and uses just one-half the space required by ordinary full-length boards. We honestly believe this to be the most convenient ironing board on the market today.




No. 5 Folding Ironing Board

SEE NEXT PAGE


THE illustration above shows the No. 5 Ironing Board installed in wall, casing applied, door hung, pad put on, and board folded away. The picture on the right shows the same board extended and ready for use.

Rough framing dimensions: 1 ft. 2 in. by 2 ft. 9½ in., 4-in. stud wall.



No. 5 Folding Ironing Board

THE MASTERBILT NO. 5 IRONING BOARD FAMILY




No. 5
(See page thirteen)


No. 5 Folding Ironing Board as shipped from factory to you. No. 5 is the board to be installed in the wall. Door is included, also door hardware. Rough opening 1 ft. 2 in. by 2 ft. 9 1/2 in. Fits 4-in. stud wall.

No. 05 is for use inside cupboards; has no box or door. (See pages six and nine.)

To install, set two blocks inside your case just 12 inches apart from each other and bore holes 1 inch net in diameter in each to receive round ends of pivot on board. Holes to be 2 feet 6 1/2 inches up from bottom of case to center of hole.




No. 05
(See pages six and nine)



No. 5-D
(See page sixteen)

No. 5-D is made with 1 1/2 16-in. hanging stiles, so that whole box is hinged and swings like a door. Can be used under sink shelf or counter shelf of kitchen cupboard, allowing use of space behind. (Includes door and hardware.) Over-all size 1 ft. 3 in. by 2 ft. 8 1/4 in. (No hardware to hang box inside case included.)




No. 5-A

No. 5-A is the regular No. 5 without door. Size 1 ft. 2 in. by 2 ft. 9 1/2 in.

OUTSTANDING FEATURES

1. It folds with the pad on.
2. Its size is standard and full inch in thickness.
3. It is disappearing, out of sight when not in use.
4. It is sturdy and rigid.
5. It is made to last—does not get out of order.
6. It is fool-proof against accidental collapse. Special Masterbilt self-locking brace prevents this.
7. It has perfectly smooth ironing surface when extended. Special flush hinges make this possible.
8. Its mechanical action is simple.
9. It is made in five styles to accommodate all conditions.

No. 5-A-D
(See page fifteen)



No. 5-A-D is same as No. 5-D, but has no door. To be used inside kitchen cases, as shown on pages three and fifteen. Size 1 ft. 3 in. by 2 ft. 8 1/4 in.

[SEE PAGE 22 FOR SPECIFICATIONS]

Page Fourteen

SOLVES YOUR IRONING BOARD PROBLEMS




Masterbilt Folding Ironing Board

*No. 5-A-D Folding Ironing Board
as shipped from factory.*

*Size 1 ft. 3 in. by 2 ft. 8¼ in., with
11 16-in. hanging stiles.*

Depth of Box over all, 4½ in.

No.
5-A-D
Ironing
Board



*Folds away in a compact man-
ner, leaving storage space for
iron and cord.*

THE pictures on this page show this board as a part of the Cozy Nook installation on pages three and twelve. The ironing board box is hung on hinges behind the No. 3-D seat-door, and swings forward into position after seat-door is opened. Note storage space for electric iron, etc., when board is folded up and swung back into the recess. Also note that a big, thick pad can be folded away with the board.

It is no longer necessary for the architect or builder to worry about finding a suitable place to install the ironing board. They can go ahead and plan the kitchen in the most convenient way, and when all other fixtures are properly placed, the ironing board can be installed under some window, under the sink board, or folded away inside the lower part of the cupboard. These are a few of the exclusive Masterbilt features; there are many others.


MASTERBILT FOLDING

Door Ironing Board No. 5-D

THIS board comes with hanging stiles, as shown in center picture. The whole cabinet is hung on hinges and swings open, allowing use of cupboard space behind as shown in upper picture. Can be hung on the face of the lower part of any kitchen cupboard.



No. 5-D extended and in use



No. 5-D as shipped



No. 5-D folded away with pad. Note compact appearance.

Specifications

Fitted size 1 ft. 3 in. by 2 ft. 8¼ in.
Box depth 5 in.

No catches or hinges to hang cabinet
furnished. Use ordinary 3x3 butts.

Directions

Leave opening 1 ft. 3 in. by 2 ft. 8¼ in. in the case front same as if you were installing a C. C. door 1 ft. 3 in. by 2 ft. 8¼ in., 1⅛ in. Cut back the shelving to receive the 5-in. depth of box and hang cabinet, using 3x3 door butts to support weight.

A KNOCK-OUT!

No. 6 Combination

IN THE space generally used solely for an ironing board, our Masterbilt No. 6 gives the following features:

- Regulation Ironing Board.
- Large Spice Cabinet.
- Storage Space for Electric Iron.
- Metal and Asbestos covered shelf for iron, even if still hot.
- Space for wiring-in Electric Plug.

Specifications

Rough opening 1 ft. 2 in. by 6 ft. 10 in.
Wall stud 4 in.



*No. 6 Combination Ironing Board and Spice Cabinet
(No casings or door hardware furnished)*



*No. 6-D as shipped
(DOORS ARE NOT HUNG)*



*No. 6-D hung
(IRONING BOARD FOLDED)
SHOWING USE OF STORAGE SPACE BEHIND*

No. 6-D Combination

(SAME AS NO. 6 ABOVE, EXCEPT TO BE
HUNG ON HINGES LIKE A DOOR)

THE fixture can be hung on the front of any cabinet, and complete fixture swings open on hinges, allowing the use of cupboard space behind.

Shipped with 1½-in. hanging stiles.

Specifications

Fitted size 1 ft. 3 in. by 6 ft. 7½ in.
Depth of cabinet 5¼ in. over all.
No door hardware furnished.
Use three 3x3 butts.

MASTERBILT FULL LENGTH BOARDS



No. 1-A Standing Board, showing metal working parts. Will last as long as your house.

Our No. 1-A Ironing Board

NO-WEAR ALL-METAL WORKING PARTS
ADJUSTABLE HEIGHT
REMOVABLE FROM CASE
NEAT AND ATTRACTIVE
NO OBSTRUCTIONS ABOVE OR BELOW BOARD

BUILDERS everywhere have recognized the necessity of the built-in ironing board. The standing type, because it has been in use the longest, is the most generally recognized board. In entering this field the Masterbilt Wall Fixture Company determined to build a board which was so superior to anything else on the market that home builders could not help but appreciate the difference. No. 1-A Standing Ironing Board, illustrated on this page, is a result of this effort. It sets in 3 in. or 4 in. stud wall. As can be seen in illustration at left, all working parts are of metal, absolutely eliminating wear. There is no chance for looseness; on the contrary, the board

is always rigid when in use. This ironing board is adjustable to two heights—2 ft. 8 in., and 2 ft. 11 in. from the floor. The lower height enables the housewife to iron while sitting down; it also enables people of different heights to set the board at the most satisfactory ironing position—a very important item in apartment houses where different families are moving in and out. No. 1-A board is equipped with a sleeve board. This unit is built so that the board removes from the case. This permits it to be used in another part of the room or house. The fact that the board can be removed from the case always makes it easy to repair in the event of being damaged; an ordinary cabinet board would have to be taken apart and repaired. This is an exclusive Masterbilt feature and a genuine convenience. The board is very easy to open and close, and, of course, the pad remains on the board. Set in rough opening 1 ft. 2 in. by 6 ft. 10 in.; 3-in. or 4-in. stud.

The board proper is made up of three pieces of California white pine, T. & G. glue joint, and the square end has a large spline full width. You will not be bothered with split or warped boards if you get Masterbilts.

Casings *are not* furnished with board. Door hardware is not furnished unless ordered extra.



No. 1-A Ironing Board extended at lower height.

[SEE PAGE 22 FOR SPECIFICATIONS]

Page Eighteen


NEATNESS ~ STRENGTH ~ UTILITY ~ DURABILITY

The Standing Ironing Board No. 1-B

Masterbilt Construction Exemplified




*Rough opening 1 ft. 2 in. by 6 ft. 9 in.
Can be installed in 3 in. or 4 in. stud.*



There is no obstruction beneath board.
Its sturdiness guarantees long life.
It folds back with padding.
It is absolutely rigid.

THE board itself, including sleeve board, is made of Sugar Pine, a wood noted for its faithfulness. The thickness of the board is $\frac{7}{8}$ inch, thus assuring strength and rigidity. No hardware for door, no casing included.



Masterbilt Wall Seat No. 4, shut and open, as shipped from factory. A small, compact and inexpensive seat.


Masterbilt Wall Seats

WHILE Masterbilt Wall Fixtures are designed primarily for the kitchen, they find their place in many other parts of the house. The breakfast table, for instance, makes an ideal serving or sewing table. The No. 4 Wall Seats are especially useful in the bath room. They are so compactly built that they will fit almost any place. When they are not in use, they are out of sight. Where the fixtures are installed in a wall they present a neat panel effect when closed which cannot in any way detract from the appearance of the room. Installation is always a very simple matter. To set fixture in the wall, merely slip in rough opening and fasten to the wall with three or four screws.

Rough opening required, 1 ft. 4 in. by 1 ft. 8 in. Three inches or over stud, start rough opening 13½ in. from floor. This seat is 14 in. by 14 in.

Telephone Cabinet

MASTERBILT No. 30 phone cabinet. This fixture consists of No. 4 seat, shelf for telephone and folding shelf for phone book. The phone book shelf is supported by two strong hinges and can either be used for a rest for phone book while looking up numbers, or can be used while taking down notes over the telephone. The seat has a comfortable reclining back rest for use in long conversations. Both back and seat top of five-ply ribbon-grained mahogany. Seat is strong and solid. The entire fixture sets in a rough opening 1 ft. 2 in. by 4 ft. 4 in. Start rough opening 13½ in. from floor; fits 3 or 4 in. stud.



CANNOT FIND A PLACE FOR THE IRONING BOARD?

Masterbilt Drawer Ironing Board No. 8 and Stationary Nook No. 85

AS THE READER will note from the pictures, Masterbilt has again succeeded in utilizing what would ordinarily be waste space. By placing a Masterbilt Folding Ironing Board No. 05 in a drawer to fit under the table top of an ordinary stationary breakfast nook set, the Masterbilt engineers have proven the statement that Masterbilt fixtures can be adapted to most any condition. This fixture can be purchased in part or complete as follows, in knock-down:

No. 8 Ironing Board Drawer and 2 Table Aprons with drawer slides attached (3 pieces).

No. 85 Nook (8-piece set)—1 Ironing Board Drawer No. 8 (3 pieces), 2 Table Ends, 2 Seat Ends, 1 Table Top.

No. 85 Nook (12-piece set)—1 Ironing Board Drawer No. 8 (3 pieces), 2 Table Ends, 2 Seat Ends, 1 Table Top, 2 Seat Bottoms, 2 Seat Backs.

No. 85 Nook (14-piece set)—1 Ironing Board Drawer No. 8 (3 pieces), 2 Table Ends, 4 Seat Ends, 1 Table Top, 2 Seat Bottoms, 2 Seat Backs.



No. 85 Nook

Drawer $13\frac{1}{2}$ by $5\frac{1}{4}$ by 38 in.
Table Top 27 by 42 in.
Seats 14 by 45 in.
No. 8 Drawer.
Shipping weight 40 pounds.

Note compartment in front of
drawer for storing iron and
cord.



No. 85 Nook

Rough Framing Dimensions for "Masterbilt" Wall Fixtures

PAGE NO.	NO.	ARTICLE	WIDTH	HEIGHT	STUD	SHIP WT.
18	1-A	Standing Ironing Board, adjustable height with all-metal working parts	1'-2"	6'-10"	3"	39 lbs.
19	3	Combination Table and Ironing Board.....	1'-2"	6'-10"	3"	57 lbs.
15-16	5	Folding Ironing Board.....	1'-2"	2'-9½"	4"	36 lbs.
15	5-A	Folding Ironing Board without door.....	1'-2"	2'-9½"	4"	27 lbs.
15	5-D	Folding Board No. 5 hung as a C. C. door.....Door size	1'-3"	2'-8¼"	—	39 lbs.
17	6	Combination Folding Ironing Board with Spice Cabinet.....	1'-2"	6'-10"	4"	48 lbs.
3	1	Folding Wall Table	2'-6"	2'-9½"	4"	66 lbs.
6-7-8-9-10	1-D	Table No. 1 hung as a C. C. door.....Door size	2'-6½"	2'-8¼"	—	68 lbs.
	2	End Wall Seat.....	1'-2"	2'-9½"	4"	36 lbs.
6-7-8-9-10	2-D	Seat No. 2 hung as a C. C. door.....Door size	1'-3"	2'-8¼"	—	36 lbs.
4	3	Side Wall Seat.....	1'-4"	2'-9½"	3"	34 lbs.
	3-A	Long 34 in. Side Wall Seat.....	3'-0"	2'-9½"	3"	72 lbs.
3	3-D	Seat No. 3 hung as a C. C. door.....Door Size	1'-6"	2'-8¼"	—	36 lbs.
20	4	Side Wall Seat, sets 18 in. off floor. Start rough opening 13½ in. up	1'-4"	1'-8"	3"	25 lbs.
2	122	Triplet Breakfast Nook.....	4'-10"	2'-9½"	4"	128 lbs.
8-9-10	2-S-D	Seat No. 2 in lower part and Spice Cabinet in upper part of C. C. door.....Door size	1'-3"	6'-7⅝"	—	48 lbs.
4	12	Breakfast Mullion with Table No. 1 and Seat No. 2 on right side..	3'-8"	2'-9½"	4"	72 lbs.
4	21	Breakfast Mullion with Table No. 1 and Seat No. 2 on left side.....	3'-8"	2'-9½"	4"	72 lbs.
20	30	Phone Cabinet. Start rough opening 13½ in. up.....	1'-2"	4'-4"	3"	33 lbs.
	40	Medicine Cabinet (set on) Wall.....	1'-6"	2'-0"	—	22 lbs.
	41	Medicine Cabinet (set in) Wall.....	1'-6"	2'-0"	3"	22 lbs.

Over-all Sizes

PAGE NO.		ROUGH OPENING	SHIP WT.
7-8-9	No. 300	5'-7" x 6'-10"	15" Deep 450 lbs.
10	No. A Unit.....	2'-9" x 6'-10"	15" Deep 113 lbs.
10	No. B Unit.....	1'-5" x 6'-10"	15" Deep 47 lbs.
10	No. C Unit.....	1'-5" x 6'-10"	15" Deep 92 lbs.
10-11	A1D (Combination)	2'-9" x 6'-10"	15" Deep 181 lbs.
10-11	B2S (Combination)	1'-5" x 6'-10"	15" Deep 95 lbs.
10-11	C52D (Combination)	1'-5" x 6'-10"	15" Deep 128 lbs.

NOTE.—Where heights are given, it means from Finish Floor. Where "Stud" is given, it means regular sized stud with ¾ in. plaster. No. 3 Combination Table and Ironing Board has 5-ply O. P. Table Top. All other Tables have veneered Mahogany Tops. All Seats have veneered Mahogany Tops.

Key to Numbers and Symbols

IN offering MASTERBILT Fixtures to the Building Industry through the medium of this catalogue, we have tried to make our printed material comprehensive, yet as brief as possible, and, as a guide to a clear understanding of the Numbers and Symbols used on these pages, we suggest that you familiarize yourself with the following.

WHERE THE FIGURE IS USED

Figure 1—Means a Folding Table for four people.

Figure 2—Means a Folding Bench Seat for two people.

Figure 3—Means a Vanishing Seat for one person.

Figure 4—Means a Vanishing Seat for one person.

The Letter "D"—Always means that the fixture is used as a C. C. Door.

The Letter "S"—Means Spice Cabinet.

The Letter "C"—Means Cooler.

The Letter "B"—Means Broom Closet.

For instance—A No. 122 Triplet Nook is made up of one No. 1 Table and two No. 2 seats—so that means No. 122.

Another Instance—A No. 1-D is a No. 1 Table made with 1 1/16 in. hanging stiles to act as a C. C. Door; the "D" denoting Door.

Another Instance—Take for example: No. 2-S-D—the 2 means a No. 2 Seat; the "S" means Spice Cabinet, and the "D" means that the fixture is fitted with hanging stiles to hang as a C. C. Door.

The Figure No. 12—Means that the fixture is made up of a No. 1 Table and a No. 2 Seat, with the Seat on the right.

The Figure No. 21—Is just the same as No. 12, except that the Seat is on the left.

The Figure No. 5—Means our Folding Ironing Board.

But, if you want it to hang as a C. C. Door—You must order a No. 5-D.

The Figures C-5-2-D may puzzle you a little, but here is how simple it is: The "C" means you want a Cooler; the "5" means you want a Folding Ironing Board in it; the "2" means there is a Folding Bench Seat in fixture; and the "D" means that the No. 2 Seat is used as a C. C. Door. (Easy— isn't it?)

WHEN FIXTURES ARE TO BE USED AS C. C. DOORS, BE SURE TO USE THE LETTER "D." ("D" Means Door.)

MASTERBILT representatives are now being established in all the larger cities of the United States and Canada. Below are those that are now established and have stocks of MASTERBILT Products on hand. Others are being established rapidly, so if your particular territory is not listed, drop a line to our office and we can advise you of the name of dealer near you who has been added after this catalogue went to press.

Representatives:

Pacific Coast States of Arizona, California, Idaho, Montana, Nevada, Oregon, Utah, Washington and Wyoming:

PACIFIC DOOR & SASH COMPANY, 3216 South Main Street, Los Angeles, Calif.

Los Angeles City, California, and vicinity:

H. V. COWAN, INC., 1950 East 64th Sreet, Los Angeles, Calif. Display Room, 1040 South Broadway.

Texas:

STEVES SASH & DOOR COMPANY, San Antonio, Fort Worth, Houston, Wichita Falls, Corpus Christi, Dallas.

New Orleans, La., and vicinity:

NORTH RAMPART LUMBER & SUPPLY COMPANY, 531 North Rampart Avenue, New Orleans, La.

Florida:

Miami—P. A. HENDERSON LUMBER COMPANY, Miami, Fla.

Tampa—NORTH RAMPART LUMBER & SUPPLY COMPANY, New Orleans, La.

Jacksonville—MASON FORWARDING COMPANY, Jacksonville, Fla.

Washington, D. C.:

BARBER & ROSS, INC., Eleventh and G Streets N. W., Washington, D. C.

New England States of Maine, New Hampshire, Vermont, Massachusetts, Rhode Island, Connecticut, and Province of Quebec, Canada:

BROCKWAY-SMITH CORPORATION, 465 Medford Street, Charlestown District, Boston, Mass.

Michigan:

UNITED STATES PLYWOOD COMPANY, 1815 Franklin Street, Detroit, Mich.

New York City and vicinity:

WHITTIER LUMBER & MILLWORK COMPANY, 411 Adams Street, Newark, N. J.

CAMERON LUMBER COMPANY, Newburgh, N. Y.

Chicago, Ill.:

RITTENHOUSE & EMBREE, 3500 South Racine Avenue, Chicago, Ill.

Philadelphia, Pa., and vicinity:

C. C. COOLBAUGH & SON CO., Gloucester City, N. J.

THERE ARE REASONS WHY YOU SHOULD SPECIFY MASTERBILT WALL FIXTURES

SAVE TIME AND SPACE. Very compact. Simple to install. Folding seats, tables and ironing boards are absolutely fool-proof against collapse. Special locking device making them non-collapsible is an exclusive Masterbilt feature.

Masterbilt Wall Fixtures are attractive. Table and seat tops are of ribbon-grained Philippine mahogany. Hardware polished nickel. Strong and sturdy; special steel cantilever brace supports table.

Easily placed anywhere. Smooth mechanical action in opening or closing. Ironing board folds with pad on.

Durable. All working parts of metal. No excessive wear.

Up-to-date. All the latest features with many new ones.

Adaptable; lend themselves in combination with case work furnished by mills. Units made to swing like C. C. doors.

Breakfast nooks have single fold flush top table, goes in 4-inch stud wall. Have ample leg room. Top of table folds to inside, making it sanitary. Proper spacing between seats and table. Practically no installation expense. Comes all assembled.

Service. The firm behind Masterbilt products will go the limit to back up their products and representatives.

Masterbilt means built right. Masterbilt wall fixtures are built by experts. Reasonably priced.



MASTERBILT

WALL FIXTURES ARE PROTECTED BY UNITED STATES AND CANADIAN PATENT LAWS
INFRINGEMENTS WILL BE PROSECUTED

[SEE PAGE 22 FOR SPECIFICATIONS]

